

# Lumber Marking Paint

Premium Water-Based Marking Paint

# P R O D U C T D A T A

## **DESCRIPTION**

Lumber Marking Paint is a premium water-based marking paint for the end of lumber bundles to visibly brand a company's colors, stencil a logo, or other identification methods. With a durable finish, non-seasonal year-round formula, and custom colors available. It can be used on all varieties of hardwood and softwood logs or lumber.

# **USES**

 Apply to the ends of freshly cut logs and lumber bundles for visible branding of your company's colors, logo, or other identifications.

## **ADVANTAGES**

- Lumber Marking Paint is a very low VOC emission product at <100 g/L VOC.</li>
- Water-based, non-hazardous product.
- Non-Seasonal, year-round formula.
- Can be brush, roll, or spray applied
- Custom colors available

Packaging / Part Number				
Bark Brown	5 gal (18.9L)	36 per pallet	FG2726.05	
Bark Brown	55 gal (208L)	4 per pallet	FG2726.55	
Quaker Brown	5 gal (18.9L)	36 per pallet	FG77317.05	
Quaker Brown	55 gal (208L)	4 per pallet	FG77317.55	
Teal	5 gal (18.9L)	36 per pallet	FG77318.05	
Teal	55 gal (208L)	4 per pallet	FG77318.55	
AWP Green	55 gal (208L)	4 per pallet	FG77326.55	
AWP Red	5 gal (18.9L)	4 per pallet	FG77327.05	

# **TECHNICAL DATA**

Typical Physical Properties		
VOC content	<100 g/L	
Flash Point PMCC	>212°F	
Specific Gravity	1.10 to 1.14	
Density	9.33 lb/gal	
% Solid	36 to 38%	
Viscosity	68 to 72 KU	
Drying Time	20 to 30 minutes tack free 2 to 4 hours for a recoat	

Estimating Guide coverage rates vary with log/lumber porosity				
Condition	ft²/gallon	m²/liter		
Marking	150 to 250	13.9 to 23.2		

#### **Directions for Use**

Consult Product Data Sheet at <a href="www.chemmasters.net">www.chemmasters.net</a> for complete information regarding product performance and usage.

Mixing: Mix well prior to use. Do not dilute.

**Surface Preparation:** Cut ends must be free of all dirt, mud, oil, grease, debris or other contaminants.

**Application:** Apply uniformly leaving no pinholes or gaps. **Spray Apply** with an air, electric, gasoline or backpack sprayer equipped with a 0.21" (0.55mm) tip or larger.

**Cleanup:** Before material dries and hardens, clean tools and equipment with warm water and detergent.

**Storage:** Do not allow to freeze. Store tightly sealed containers in cool, dry area above 50°F. Shelf life is one year from date of manufacture.

# Limitations

Keep material from freezing.



# For professional use only Keep away from children

#### Precautions: WARNING:

May be harmful if swallowed. May cause an allergic skin reaction. Causes eye irritation. May be harmful if inhaled. May cause respiratory irritation. **Precautionary Statements**: Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands and skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up. Disposal: Dispose of contents/container in accordance with local/regional/national regulations.

All label precautions and Safety Data Sheet must be fully understood before using this product. Keep out of reach of children

# THIS PRODUCT IS FOR COMMERCIAL USE ONLY – IT IS NOT A CONSUMER PRODUCT.

Before using this product read entirely this paragraph and the Manufacturer's Warranty and Limitations of Liability at Chem-Masters.net/Warranty.php (or by using the adjacent QR Code) incorporated herein (collectively the "Terms"). To reject any of the Terms buyer must return the unopened product container at once to the seller from which it was purchased. By opening or using this product buyer accepts without objection or modifi-cation all Terms. Subject to applicable law, MANUFACTURER DISCLAIMS ALL IMPLIED WARRANTIES, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, and buyer agrees that in lieu of all other remedies in manufacturers sole discretion it will either replace defective product or refund the reasonable purchase price, and in no event may you recover from manufacturer any special, incidental or consequential damages even if it was aware of the possibility of such damages.



©2025 ChemMasters Printed in U.S.A.